Alliance Trading, Inc. SAFETY DATA SHEET

Section 1: Identification

Product Name: Pool Style Salt Aide Product Code:C002522 Alliance Trading, Inc. 109 Northpark Blvd., 4th Floor Covington, LA 70433

Product Use: NA Not recommended for: NA

Section 2: Hazard(s) Identification

 GHS Ratings:

 Skin corrosive
 3
 Reversible adverse effects in dermal tissue, Draize score: >=

 Skin corrosive
 3
 Reversible adverse effects in dermal tissue, Draize score: >=

 Eye corrosive
 2A
 Eye irritant: Subcategory 2A, Reversible in 21 days

 Reproductive toxin
 1B
 Presumed, Based on experimental animals

 Organ toxin single exposure
 3
 Transient target organ effects- Narcotic effects- Respiratory tract irritation

GHS Hazards

H316	Causes mild skin irritation	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H360	May damage fertility or the unborn child	

GHS Precautions

Emergency Phone

CHEMTEL 1-800-255-3924

P201	Obtain special instructions before use		
P202	Do not handle until all safety		
	precautions have been read and		
	understood		
P261	Avoid breathing		
	dust/fume/gas/mist/vapors/spray		
P264	Wash face, hands, and any exposed		
	skin thoroughly after handling		
P271	Use only outdoors or in a well-ventilated		
5000	area		
P280	Wear protective gloves/protective		
5004	clothing/eye protection/face protection		
P281	Use personal protective equipment as		
D040	required		
P312	Call a POISON CENTER or		
P304+P340	doctor/physician if you feel unwell		
P304+P340	IF INHALED: Remove victim to fresh air		
	and keep at rest in a position		
P305+P351+P33	comfortable for breathing		
8	IF IN EYES: Rinse cautiously with		
0	water for several minutes. Remove		
	contact lenses if present and easy to do – continue rinsing		
P308+P313	IF exposed or concerned: Get medical		
	advice/attention		
P332+P313	If skin irritation occurs: Get medical		
1 002 1 010	advice/attention		

P337+P313	If eye irritation persists get medical advice/attention Store locked up
P403+P233	Store in a well ventilated place. Keep
	container tightly closed
P501	Dispose of contents/container in
	accordance with
	local/regional/national/international
	regulations

Danger



Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Boron oxide (B2O3) 1303-86-2 40 to 50%	15 mg/m3 TWA (total dust)	10 mg/m3 TWA	NIOSH: 10 mg/m3 TWA
Trade Secret 40 to 50%			

Section 4: First-aid Measures

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To

prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures
LEL:

UEL:

Extinguishing Media

Use media suitable for the surrounding fires. Specific Hazards Arising from the Chemical None known

Special Protective Equipment and Precautions for Firefighters Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

	Section	6:	Accidental	Release	Measures
--	---------	----	------------	---------	----------

Spill and Leak Procedures

Vacuum, shovel or sweep up and place in containers for disposal. Avoid contamination of water bodies during cleanup and disposal.

Section 7: Handling and Storage

Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling. **STORAGE:** Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight.

 Section 8: Exposure Control/Personal Protection

 Chemical Name / CAS No.
 OSHA Exposure Limits
 ACGIH Exposure Limits
 Other Exposure Limits

 Boron oxide (B2O3)
 15 mg/m3 TWA (total dust)
 10 mg/m3 TWA
 NIOSH: 10 mg/m3 TWA

 1303-86-2
 Trade Secret
 N/A
 Image: Control Protection
 Image: Control Protection

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots .

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield .

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Appearance: White to off-white granular	Odor: Odorless	
Vapor Pressure: Unknown	Odor threshold: Unknown	
Vapor Density: Unknown	pH: 6.5 - 7.5 (5% solution)	
Density: Unknown	Melting point: Unknown	
Freezing point: Unknown	Solubility: Complete	
Boiling range: Unknown	Flash point: Unknown	
Evaporation rate: Unknown	Flammability: Unknown	
Explosive Limits: Unknown Specific Gravity Unknown		
Autoignition temperature: Unknown	Decomposition temperature: Unknown	
Viscosity: Unknown	Grams VOC less water: Unknown	

Section 10: Stability and Reactivity

Chemical Stability: STABLE Incompatibile Materials Acids. Reaction with strong reducing agents, such as metal hydrides or alkali metals, will generate hydrogen gas, which could create an explosive hazard. Conditions to Avoid Excessive heat. Hazardous Decomposition Products Carbon dioxide.

Hazardous Polymerization

Hazardous polymerization will not occur.

Mixture Toxicity Component Toxicity

Section 11: Toxicology Information

Routes of Entry: Inhalation Ingestion Skin contact Eye contact

Eyes Skin Respiratory System

Effects of Overexposure

Emergency Overview Little or no hazard to humans and has low acute oral and dermal toxicity. Acute Health Effects Occasional mild irritation effects to nose and throat may occur from inhalation of dust .

CAS Number	<u>Description</u>	<u>% Weight</u>	Carcinogen Rating	
Section 12: Ecological Information				
Component Ecotoxicity Boron oxide (B2O3)				
Trade Secret	•	Hr LC50 Lepomis macrochirus: 8250 - 9000 mg/L [static] Hr EC50 Daphnia magna: 2350 mg/L		
Section 13: Disposal Consideration	ns			

Dispose of in accordance with local, state and federal regulations.

Section 14: Transportation Informations

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any.

Section 15: Regulatory Information

TSCA 8(b) Inventory

1303-86-2 Boron oxide (B2O3) Trade Secret

<u>Country</u>

Regulation

All Components Listed

Date Prepared: 8/5/2015

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including

the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

Reviewer Revision