# Alliance Trading, Inc. SAFETY DATA SHEET

### Section 1: Identification

 Product Name: Pool Style Seasonal Head Start
 Product Code:C002523

 Alliance Trading, Inc.
 Emergency Phone

 109 Northpark Blvd., 4th Floor
 CHEMTEL 1-800-255-3924

 Covington, LA 70433
 Chemter Control of the start of the

Product Use: NA Not recommended for: NA

Section 2: Hazard(s) Identification

 GHS Ratings:
 Skin corrosive
 3
 Reversible adverse effects in dermal tissue, Draize score: >=

 Skin corrosive
 3
 Reversible adverse effects in dermal tissue, Draize score: >=

 Eye corrosive
 2A
 Eye irritant: Subcategory 2A, Reversible in 21 days

 Reproductive toxin
 1B
 Presumed, Based on experimental animals

 Organ toxin single exposure
 3
 Transient target organ effects- Narcotic effects- Respiratory tract irritation

## **GHS Hazards**

H316	Causes mild skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H360	May damage fertility or the unborn child

## **GHS Precautions**

	-
P201	Obtain special instructions before use
P202	Do not handle until all safety
	precautions have been read and
	understood
P261	Avoid breathing
	dust/fume/gas/mist/vapors/spray
P264	Wash face, hands, and any exposed
	skin thoroughly after handling
P271	Use only outdoors or in a well-ventilated
	area
P280	Wear protective gloves/protective
	clothing/eye protection/face protection
P281	Use personal protective equipment as
	required
P312	Call a POISON CENTER or
	doctor/physician if you feel unwell
P304+P340	IF INHALED: Remove victim to fresh air
	and keep at rest in a position
	comfortable for breathing
P305+P351+P33	IF IN EYES: Rinse cautiously with
8	water for several minutes. Remove
	contact lenses if present and easy to
	do – continue rinsing
P308+P313	IF exposed or concerned: Get medical
	advice/attention
P332+P313	If skin irritation occurs: Get medical
	advice/attention

P337+P313	If eye irritation persists get medical advice/attention Store locked up
P403+P233	Store in a well ventilated place. Keep
	container tightly closed
P501	Dispose of contents/container in
	accordance with
	local/regional/national/international
	regulations

Danger



Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Boron oxide (B2O3) 1303-86-2 40 to 50%	15 mg/m3 TWA (total dust)	10 mg/m3 TWA	NIOSH: 10 mg/m3 TWA
Trade Secret 40 to 50%			

## Section 4: First-aid Measures

#### Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

#### Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

## Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

#### Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fight	ing Measures
-----------------------	--------------

## LEL:

UEL:

### Extinguishing Media

Use media suitable for the surrounding fires. Specific Hazards Arising from the Chemical None known

#### Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

## Section 6: Accidental Release Measures

#### Spill and Leak Procedures

Vacuum, shovel or sweep up and place in containers for disposal. Avoid contamination of water bodies during cleanup and disposal.

#### Section 7: Handling and Storage

#### Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

STORAGE: Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container

closed when not in use. Protect from direct sunlight.

Section 8: Exposure Control/Personal Protection			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Boron oxide (B2O3) 1303-86-2	15 mg/m3 TWA (total dust)	10 mg/m3 TWA	NIOSH: 10 mg/m3 TWA
Trade Secret N/A			

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots .

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield .

**OTHER PROTECTIVE EQUIPMENT**: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**HYGENIC PRACTICES:** Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

### Section 9: Physical and Chemical Properties

Appearance: White to off-white granular	Odor: Odorless
Vapor Pressure: Unknown	Odor threshold: Unknown
Vapor Density: Unknown	<b>pH:</b> 6.5 - 7.5 (5% solution)
Density: Unknown	Melting point: Unknown
Freezing point: Unknown	Solubility: Complete
Boiling range: Unknown	Flash point: Unknown
Evaporation rate: Unknown	Flammability: Unknown
Explosive Limits: Unknown	Specific Gravity Unknown
Autoignition temperature: Unknown	Decomposition temperature: Unknown
Viscosity: Unknown	Grams VOC less water: Unknown

Section 10: Stability and Reactivity

## Chemical Stability:

## STABLE

Incompatibile Materials

Acids. Reaction with strong reducing agents, such as metal hydrides or alkali metals, will

## **Hazardous Polymerization**

Hazardous polymerization will not occur.

## Section 11: Toxicology Information Mixture Toxicity Component Toxicity

Routes of Entry: Inhalation Ingestion Skin contact Eye contact

Eyes Skin Respiratory System

Effects of Overexposure

**Emergency Overview** 

Little or no hazard to humans and has low acute oral and dermal toxicity.

Acute Health Effects

Occasional mild irritation effects to nose and throat may occur from inhalation of dust .

CAS Number	<b>Description</b>	<u>% Weight</u>	Carcinogen Rating	
Section 12: Ecological Information	on			
Component Ecotoxicity Boron oxide (B2O3)	48 Hr EC50 Dap	ohnia magna: 370 - 490 mg/L		
Trade Secret	•	96 Hr LC50 Lepomis macrochirus: 8250 - 9000 mg/L [static] 48 Hr EC50 Daphnia magna: 2350 mg/L		
Section 13: Disposal Considerat	ions			

Dispose of in accordance with local, state and federal regulations.

## Section 14: Transportation Informations

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any .

Section 15: Regulatory Information	
TSCA 8(b) Inventory	

1303-86-2 Boron oxide (B2O3) Trade Secret

## **Country**

**Regulation** 

All Components Listed

## Date Prepared: 8/5/2015

#### Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

**Reviewer Revision**